

CHEOY LEE 65/72

Raised Pilothouse Motor Yachts

A New Generation of Luxury Yachts

Whether your choice is the compact all-weather CL65 with its superbly finished interior and up-market Pilothouse or the fun-in-the-sun extended cockpit CL72 family style, both vessels benefit from the quality build, design strengths and broad experience of Cheoy Lee Shipyards.

CHEOY LEE SHIPPING is a continuous success story for over 130 years. That's a long time to be eminently respected in the one business. CHEOY LEE is at the forefront of new boat-building techniques, uses the very latest sea-kindly safe designs, and produces a finish to all boats that is both impeccable and enduring. Indeed the quality and durability of the finish is rarely matched by any other standard boat manufacturer.

CHEOY LEE custom-builds your vessel to your expectations.

CHEOY LEE SHIPPING has never been caught up in the 'razzmatazz of gin palaces and revolving mirrors!' They use designs and layouts that do not pander to fashion but adhere to the all important factors of strength and reliability, comfort and superb finish –

You will always be very proud of your CHEOY LEE in any company



Photos may show some options

GENERAL SPECIFICATIONS

	CL65	CL72	CL65	CL72
Length Overall	64' 11"(E) / 71' 11"(F)		19.79(E) / 21.92(F) m	
Length Waterline	58' 4"(E) / 65' 11"(F)		17.78(E) / 20.09(F) m	
Beam	20' 2"		6.15 m	
Draft	5' 0"		1.52 m	
Displacement (full load – est.)	91,600(E) / 100,000(F) lbs		41,600(E) / 45,360(F) kg	
Fuel(B)	1,500(E) / 1,850(F) USG		5,700(E) / 7,000(F) ltr	
Water(B)	475(E) / 500(F) USG		1,800(E) / 1,890(F) ltr	
Holding Tank(B)	150 USG		570 ltr	
Grey Water Tank(B)	150 USG		570 ltr	
Engines	Twin CATERPILLAR C18 (1,000 bhp each)			
Generator	ONAN 22Kva50 hz			

Our Cheoy Lee vessels are built to Australian Marine Electrical Standards AS3000



Photos may show some options

PRICE CL65 - A\$ 2,970,700

Bahama Series Raised Pilothouse

PRICE CL72- A\$ 3,552,700

Bahama Series Cockpit Raised Pilothouse

Prices based on Exchange Rate of 1A\$=80centsUS

STABILIZERS & ELECTRONIC NAVIGATION INSTRUMENTS
fitted to all our Cheoy Lee Yachts

STANDARD EQUIPMENT

Construction

- . Hull, deck and superstructure of DIVINYCELL cored fiberglass
- . Extensive use of bi-axial and multi-axial E-glass reinforcement
- . Integral fiberglass fuel, fresh water and holding tanks with baffles and cleaning manholes
- . Moulded stabilizer pads for stabilizer installation (stabilizers optional)
- . Fiberglass rub rail with stainless steel capping
- . Tinted (except pilothouse) tempered, glass windows, utilizing high strength, adhesion style window system
- . Awlcraft 2000 exterior finish (Off White with Navy Blue trim)
- . Awlgrip non-skid exterior decks
- . Vinylester laminate and epoxy barrier on hull bottom with 5 year anti-osmosis warranty
- . Two coats of antifoul bottom paint

Deck

- . All hardware chrome on brass, 316 stainless steel or anodized/painted aluminum
- . Vertical anchor windlass, MAXWELL VWC 3500 (24vDC, 3500 lb.), with 3/8" chain cathead and rope capstan, deck pipe and chain stopper. Local controls with remote at both helm stations
- . 175 amp-hour battery, 24vDC, stored in forward stateroom for windlass service
- . 66 lb. BRUCE anchor stowed on roller assembly on bow
- . 30 fathoms 3/8" high test galvanized chain
- . Fresh water anchor wash down
- . Twin trumpet air horn
- . Stainless steel bollards (8)
- . Stainless steel fairleads
- . Stainless steel bow rails 1.25", with mid rail
- . Stainless steel burgee flag staff on bow rail
- . Navigation lights
- . Walkway lighting on side deck overhangs
- . Flag staff
- . Boarding gates, port and starboard
- . Step plate located at deck entrances
- . Scuppers draining to boot top
- . Foredeck molded seat (storage under) with upholstered cushions

Electrical Systems

- . 240vAC 50 cycle and 24/12vDC electrical panels, main panels in engine room and zone panels throughout vessel
- . ACR 100 searchlight with dual station remote control
- . Halogen overhead light fixtures throughout
- . Valance lights and floor lighting to be 24vDC rope lighting
- . Wardrobe lights, automatic
- . Emergency lights, 24vDC, automatic at loss of AC power, to incorporate floor and stairway lights and selected overhead lighting. Removable emergency flashlights in each stateroom
- . 24vDC reading lights
- . 240vAC receptacles in galley, heads and exterior are protected with GFI safety breakers
- . Two banks of 24vDC 210 amp-hour batteries for engine starting and ship service
- . Emergency engine start battery parallel system, dual station
- . 12vDC 175 amp-hour battery for generator starting
- . 12vDC 20 amp battery charger

- . One 24vDC 210 amp-hour gel battery bank, with 24vDC 60 amp battery charger and 50 amp VANNER 12vDC power supply, with spare 24/12vDC circuit breakers in sub-panel for electronic use
- . GLENDINNING Cablemaster shore power cable retrieval system, for 240vAC 50 amp service, with 100 ft. cable
- . Shore telephone inlet, with 100 ft. cable located in transom locker
- . Shore cable television inlet, with 100 ft. cable located in transom locker
- . Electric copper bonding system, connecting all through hulls and major metal components to exterior hull zinc anodes
- . Isolation transformer (15 kVA), for shore power system
- . DYNAPLATE grounding plate and strap to pilothouse and flybridge ground terminal boards
- . Voltmeters and ammeters for supply circuits
- . Generating set/shore power selector switch and shore power polarity indicator
- . LCD touch screen control/alarm monitoring system with audible and visual signals displayed on Programmable Logic Controller (PLC) located in pilothouse for generator low oil pressure, generator high temperature, high bilge level, and smoke detectors (engine room, staterooms, galley, and salon). Security alarm sensors on all doors and hatches. Navigation light control and monitoring.

Engine Room / Machinery

- . Twin CATERPILLAR C18 (1,000 bhp each) diesel engines, fresh water cooled, electronic injection / governor, standard engine maker instrumentation, 24vDC start
- . Local mounted start/stop instrument panels for main engines and generator
- . Underwater exhausts, with bypass and fiberglass mufflers
- . ONAN generator, 22 kW with sound guard
- . 240vAC reverse cycle chilled water air conditioning (except engine room)
- . CENTEK combo generator muffler, air/water separator type, with hull side exhaust
- . Engineered engine room ventilating system, with intake blowers taking air in via air/water separator filters
- . Fire protection consisting of manual and automatic actuated CO₂ fire extinguisher system. Upon system actuation audio/visual alarms sound, blowers are shut down and hull side ventilation inlet dampers are closed
- . Power hydraulic steering system, including valves for optional autopilot installation
- . Engine driven emergency bilge pumping system for engine room bilges
- . AMERICAN 12" TRAC electric bow thruster with dedicated battery bank
- . Lube oil change system with manifold and hoses to all engines and gearboxes
- . RACOR fuel filters for the main engines, manifolded to allow filter change underway
- . RACOR filter for generator
- . Water heater 30 gallon, (113 lt) dual element, and quick recovery type
- . Cartridge style whole system water filter unit
- . Fresh water hose bib
- . Automatic sump pumps
- . Automatic bilge pumps, for each separate compartment in the vessel
- . GRUNFOS 1 hp AC water pump with accumulator tank, for fresh water pressure system
- . Fuel management system consisting of fuel shut-off valves, fuel transfer pump with meter system and selector manifold
- . HART Tank Tender gauges for fuel, fresh water, black water and grey water tanks, pneumatic pump type
- . Black water tank level indicator and high level alarm
- . Black water holding tank system with Y-valve selector to allow direct discharge overboard or into holding tank. Macerator pump for pump out of holding tank direct over board, or to vented deck fitting for shore side disposal
- . GROCO bronze raw water strainers, all engines and sea water pump intakes
- . Seacocks on all through hull fittings below the waterline
- . Fiberglass battery boxes
- . Battery condition indicator

- . Engineered sound vibration and noise attenuation system for engine room spaces consisting of lead tile sound barriers and mylar faced synthetic lead-foam insulation covered with white painted aluminum perforated sheeting. Custom sound mounts for main engines, generator, engine room stanchions, head pumps/motors, air conditioning compressors and sea water cooling pumps
- . Drip trays under engines
- . SEASHAFT 22 or equal propeller shafts
- . Stainless steel rudder blades
- . Nibral propeller shaft struts
- . Nibral propellers, 5 blade, class S, dynamically balanced
- . DURAMAX cutlass rubber stern and rudder bearings
- . PYI packless shaft seals
- . 240vAC explosion proof, fluorescent lights
- . Automatic 24vDC emergency lights
- . Smoke detectors
- . Telephone jack
- . 240vAC outlets (2), GFI type
- . Watertight transom door to tank space and engine room
- . Watertight emergency escape hatch from engine room^(E) / utility space^(F) to master stateroom

Pilothouse

- . TELEFLEX/HYNAUTIC hydraulic power steering
- . TELEFLEX/HYNAUTIC hydraulic engine controls
- . Engine instrumentation and alarms
- . Custom stainless steel steering wheel
- . CROWN Mariner helm chair
- . Alarm panel (see Electrical Systems)
- . 240vAC duplex outlets (2)
- . Instrument and electronic console
- . Remote control for anchor windlass
- . Windshield wipers with fresh water wash system
- . Weathertight fiberglass pantograph doors to side decks
- . Halogen ceiling lights with control/dimmer switch
- . Red night light and switch

Flybridge

- . TELEFLEX/HYNAUTIC hydraulic dual lever engine controls
- . TELEFLEX/HYNAUTIC hydraulic power steering
- . Engine instrumentation and alarms
- . Fiberglass instrument and electronic console
- . Stainless steel steering wheel
- . Stainless steel framed acrylic windscreen
- . Stainless steel rails at sides of aft deck
- . Hatch and ladder to aft deck
- . Stainless steel rails around aft hatch/ladder with stainless steel gate
- . Fiberglass radar arch with flush mounted lighting
- . CROWN Mariner helmsman's seats (2)
- . Fiberglass lounge seat with upholstered cushions, storage under
- . Painted fiberglass table
- . Scuppers and drainage system for water to lower deck
- . Lightning arrester system
- . Painted fiberglass locker for sink with cold water faucet, fresh water wash down hose bib and Icemaker/combo refrigerator unit
- . 240vAC outlets (3), GFI type

- . Stainless steel framed tempered glass sliding hatch covering circular staircase to pilothouse
- . ACR 100 quartz halogen search light, remote dual station control
- . Telephone jack
- . Twin trumpet air horn
- . 1500 lb davit with manual rotation

Galley and Dinette

- . Stainless steel range/oven unit (F)
- . Stainless steel microwave oven with ventilation hood (F)
- . Stainless steel side-by-side refrigerator/freezer with ice dispenser (F)
- . Stainless steel dishwasher (F)
- . Stainless steel double sink
- . Garbage disposal
- . Faucet with removable sprayer handle
- . Cabinets, upper and lower
- . CORIAN^(D) counter top
- . Smoke detector
- . Halogen ceiling lights
- . Under cabinet lights
- . 240vAC outlets (3), GFI type
- . Raised dinette with U-shaped seating and storage under. Pedestal mounted dining table with CORIAN^(D) top

Salon and Deck Head

- . Wet bar with Refrigerator/icemaker combo unit and liquor storage
- . Telephone jack
- . Smoke detector
- . Entertainment cabinet, no units
- . Halogen ceiling lights with control/dimmer switches
- . Valance lights and floor lighting with control switches
- . Emergency lighting
- . Settees (2) and cocktail tables (2)
- . Day head with HEADHUNTER 24vDC electric head (fresh water flush), faucets and bath accessories, marble or CORIAN^(D) counter top with sink. Exhaust blower in head
- . Fixed adhesion style, tinted, tempered windows
- . 240vAC duplex outlets (4) in salon, one GFI type in head
- . Stainless steel framed tempered glass sliding door to aft deck

Master Stateroom and Head

- . Queen berth, with storage drawers under
- . Two night tables
- . Stainless steel framed tinted, tempered glass opening ports with screens and hold open arms
- . Entertainment cabinet, no units
- . Telephone jack
- . Smoke detector
- . Walk-in closet, cedar lined on back surfaces
- . Emergency escape through watertight door in closet aft bulkhead
- . Settee
- . Vanity unit with mirror
- . Halogen ceiling lights with control/dimmer switch
- . Valance lights and floor lights with control switches
- . Two reading lights

- . Mirror on closet door
- . HEADHUNTER electric head (fresh water flush)
- . Jacuzzi type tub with shower
- . Faucets and bath accessories
- . CORIAN^(D) counter top with two sinks
- . Mirrored medicine cabinet
- . Exhaust blower
- . 240vAC duplex outlets (3) in stateroom, two GFI type in head
- . Washer dryer in entry foyer (F)

Port Guest Stateroom and Head

- . Twin lower berth, with storage drawers under
- . Two reading lights
- . Entertainment cabinet, no units

- . Telephone jack
- . Smoke detector
- . Wardrobe, cedar lined on back surface mirror on door
- . Halogen ceiling lights with control switch
- . Valance and floor lights with control switch
- . Stainless steel framed tinted, tempered glass opening port with screen and hold open arm
- . Stall shower
- . Mirrored medicine cabinet
- . Faucets and bath accessories
- . CORIAN^(D) counter top with drop in sink
- . Exhaust blower
- . HEADHUNTER electric head (fresh water flush)
- . 240vAC duplex outlet (1) in stateroom, one GFI type in head

Forward Guest Stateroom and Head

- . Island queen berth with storage drawers under
- . Entertainment cabinet, no units
- . Telephone jack
- . Smoke detector
- . Wardrobe, cedar lined on back surface mirror on door
- . Halogen ceiling lights with control switch
- . Valance and floor lights with control switch
- . Two reading lights
- . Stainless steel framed ventilation / escape hatch
- . Stainless steel framed tinted, tempered glass opening port with screen and hold open arm
- . HEADHUNTER electric head (fresh water flush)
- . Stall shower
- . Faucets and bath accessories
- . CORIAN^(D) counter top with sink
- . Mirrored medicine cabinet
- . Exhaust blower
- . 240vAC duplex outlets (2) in stateroom, one GFI type in head

Aft Deck

- . Stainless steel and teak ladder to flybridge
- . Painted non-skid deck
- . Fiberglass settees with upholstered cushions

- . Stainless steel gate to sport deck^(E) / cockpit^(F)
- . Stairs to transom sport deck^(E) / cockpit^(F)
- . Overhead lights with control switch

Transom Sport Deck^(E)

- . Painted non-skid deck
- . Stainless steel swim ladder
- . Stainless steel U-shaped rails (removable)
- . Fresh water telephone shower head, hot and cold
- . Locker for shore services
- . Watertight pantograph door to engine room
- . Hinged cleats port and starboard (not for towing)

Cockpit^(F)

- . Painted non-skid deck
- . Storage lockers in cockpit deck
- . Stainless steel swim ladder
- . Fresh water telephone shower head, hot and cold
- . Locker for shore services

- . Watertight pantograph door to engine room
- . Hinged door to swim platform
- . Hinged cleats port and starboard (not for towing)

Utility Space^(F)

- . Void space aft of master stateroom available for optional laundry room, workshop, crew accommodation etc

Owner's Documentation

- . Vessel supplied with list of major equipment, serial numbers and manufacturers' contact details. Manufacturer equipment manuals will be supplied as available. Drawings for major systems, safety and docking plans are supplied on CD

Optional Equipment

- . Flybridge hard top, integrated with radar arch, incorporating overhead lighting
- . Stabilizers
- . Watermaker
- . Electronics
- . RITCHIE 5" compass, flush mount with light, dimmer and cover
- . Telephone/intercom system
- . Dingy and chocks
- . Life raft and chocks
- . Soft goods decor, such as drapes, valance boards, Roman shades, headboards, bed treatments
- . Electronic engine controls with two remote plug in stations in lieu of TELEFLEX/HYNAUTIC controls
- . Lube oil storage system consisting of two 38 quart stainless steel lube oil tanks
- . His and hers bathroom for master stateroom (in place of walk-in closet)
- .

NOTES TO SPECIFICATIONS

- (A) Right is reserved to make changes at any time, without notice, to prices, materials, specifications and equipment. Drawings may show optional items.
Where these specifications differ from drawings, the specifications shall take precedence
- (B) Capacities are estimated to be total capacity of all constituent tanks $\pm 5\%$. Usable capacities will vary depending upon conditions.
- (C) Applicable to hull form only. Cheoy Lee prepared these specifications independent of the naval architect, relying solely on its own marketing data.
- (D) References to CORIAN include a choice of CORIAN, or AVONITE from Shipyards standard range
- (E) Applicable to 65' Pilothouse Motor Yacht only.
- (F) BOSH appliances or equivalent

Prices are for Standard Layout Arrangement, Standard Equipment Listed, include Duty/GST, Commissioning, full insurance until Handover, Factory Warranty, Operation Maintenance and Machinery Manuals, Delivery to Eastern Australian seaboard dockside.
Prices do not include drapes, curtains, soft furnishings, covers, cushions or bedspreads. These items can however be arranged to suit personal choice.
(CL65/72)(E. & O.E.)(30 Apr, 07) CHEOY LEE YACHTS, Australia reserves the right to make changes at any time without notice, in price, materials, specifications & equipment. Some photos may show optional items. Where specifications differ from drawings, specifications take precedence.

CHEOY LEE
YACHTS AUSTRALIA

Ph 07 5561 1107 Fax 07 5561 1109 Mobile 0418 894 047 / 0409 587 717
Email: enquiries@cheoylee.com.au www.cheoylee.com.au
31-5 Marina Mirage, Seaworld Drive, Gold Coast, Qld 4217
Great Barrier Yachts Australia Pty Ltd